

**HOLLER** |||||



**GATES - FENCES - AUTOMATION**



# Family business |

Established in 1992, we have been manufacturing high-quality aluminium gates and fences at our Leitring plant in Austria for 30 years.

Our guiding principle is teamwork. We are convinced that a close cooperation with our customers is the cornerstone of good customer relationship and satisfaction. Teamwork is like a well-oiled machine with all departments interlocking to make sure it runs smoothly and efficiently. Our top priority is to maintain and promote this spirit of collaboration.

We accompany every project from consulting, planning and technical clarification to shipping, and are on hand even after your project is completed to provide comprehensive support and service.

This catalogue shall provide you with a compact overview of our company, our company's philosophy, and our extensive product portfolio.

# Company philosophy |

From the very beginning, the responsible and prudent use of energy, raw materials and production methods has played a central role in our company.

## Our 7 principles of sustainability and social responsibility

### 1. Photovoltaic systems

To contribute to a greener environment, our production processes take advantage of the powerful photovoltaic system installed on the roof of the production halls which converts the radiation of the sun into usable energy.

### 2. Façade greening

Façade greening with vertical green walls serves as natural insulation and protects our production halls from heating up in summer and reduces heating costs in winter.

### 3. Busy bees

Façade greening as “natural air conditioning” is a valuable habitat and an important source of food for animals such as butterflies, birds, and especially our amazing bees. We are committed to sustainability and the preservation of biodiversity and support local farming by creating additional green spaces.

### 4. Electric vehicles

The electric vehicles in our fleet encourage the establishment of a quiet, efficient, and clean electric mobility. Thanks to their environmentally friendly drive systems, electric motors are an innovative and efficient alternative to conventional combustion engines.

### 5. Wastewater-free powder coat finish

Our electrostatic powder coating plant is the largest in Austria and one of the most environmentally friendly and efficient systems for surface treatment worldwide. We rely on a wastewater-free process water and sink treatment that does not compromise the environment.

### 6. Waste heat utilisation and organic district heating

Our production halls are heated both by waste heat generated during the thermal processes in production and by climate-neutral district heating supplied by the nearby biomass heating plant.

### 7. Company childcare facilities

Thanks to our company kindergarten parents need less time to drop off or pick up their children. Opening hours of the childcare facilities are tailored to the needs of employees and thus reconciled with parents’ work schedules. We believe in the guiding principle: Family well-being is the heart of global well-being.

*Our today’s decisions shape our tomorrow’s world.*



## Teamwork |

Teamwork is the decisive factor in the production and distribution of our products. Each component passes through various departments and is carefully checked and revised at each production step by our highly qualified employees. Our teams in sales and shipping are committed to smooth and customer-oriented work-flows in order processing.

# Our products |

Our products are manufactured in our factory which covers a surface of approximately 25,000 m<sup>2</sup>. The vertical range of production at the Leitring production site comprises the entire research and development, planning, and production. Our R&D team is engaged in the continuous development, testing and implementation of new manufacturing processes and cutting-edge technologies which always keep us one step ahead of our competition.

Responding to the demands of the global market, our systems are sold through three different product lines.



## HOLLER ||||| PRO

This product line is characterized by power and strength as well as stability and durability. These systems are specifically and primarily designed for use in industrial and commercial areas, combining strength and reliability with aesthetic sensibility. The gates and fences of this product line are fully customisable, and therefore unique in design and construction.



## HOLLER ||||| HOME

Our product line for the private sector convinces with maximum flexibility and great variety. The stylish gates and fences are tailored to the requirements of private customers, and guarantee privacy and protection in combination with a high degree of architectural aesthetics.



## HOLLER ||||| DIY

Our modular Do-It-Yourself systems are based on standardised components that offer innumerable design possibilities and can easily be adapted to existing situations. Pre-drilled holes and the provided fastening material facilitate assembly. No special tools are required.

# HOLLER ||||| PRO



## HOLLER PRO Sliding Gate Classic

Width: max. 25,000 mm, cantilever  
Height: max. 2,500 mm  
Special constructions up to a height of 5,000 mm



## HOLLER PRO Sliding Gate ECO

Width: max. 10,000 mm, cantilever  
Height: max. 2,500 mm



## HOLLER PRO Sliding Gate floor-guided

Width: max. 50,000 mm  
Height: max. 2,500 mm  
Special constructions up to a height of 6,000 mm



## HOLLER PRO Sliding Gate on sloping ground

Width: max. 25,000 mm, cantilever  
Height: max. 2,500 mm  
Sloping ground up to 8%  
Special constructions up to a height of 5,000 mm



## HOLLER PRO Telescopic Sliding Gate

Width: max. 25,000 mm, cantilever  
Height: max. 2,500 mm  
Special constructions up to a height of 5,000 mm



## HOLLER PRO Extra++

Custom-made  
Foil print, milled, laser-cut, and much more ...



## HOLLER PRO Sliding Gate Galaxy Gate

Sliding gate with rounded corners, specially nipped perforated sheet with logo, straight bracing and integrated LED lighting



## HOLLER PRO Sliding Gate VARO

Sliding gate in modular industrial design  
Width: max. 8,000 mm, cantilever  
Height: max. 2,500 mm



## HOLLER PRO Bi-folding Speed Gate Quattro Premium

Width: max. 10,000 mm  
Height: max. 5,000 mm  
Also available as single leaf gate.



## HOLLER PRO Bi-folding Speed Gate Quattro ECO

Width: max. 8,000 mm  
Height: max. 3,000 mm  
Also available as single leaf gate.



## HOLLER PRO Swing Gate Classic

Width: max. 12,000 mm, single leaf  
Height: max. 2,500 mm  
Special constructions up to a height of 5,000 mm



## HOLLER PRO Pedestrian Gate Classic

Width: max. 1,500 mm  
Height: max. 2,500 mm  
Special constructions up to a height of 5,000 mm



## HOLLER PRO Pedestrian Gate Industry

Width: max. 1,500 mm  
Height: max. 2,500 mm



## Barrier 60+

Barrier length max. 6,000 mm with LED beam illumination

# HOLLER ||||| HOME



## HOLLER HOME Sliding Gate

Width: max. 6,000 mm, cantilever  
Height: max. 2,000 mm



## HOLLER HOME Swing Gate

Width: max. 4,500 mm  
Height: max. 2,000 mm



## HOLLER HOME Extra++

Custom-made



## HOLLER HOME Pedestrian Gate

Width: max. 1,500 mm  
Height: max. 2,000 mm



## HOLLER HOME Fence

In many different designs

# HOLLER ||||| DIY



## HOLLER DIY Sliding Gate

Widths: 3,000, 4,000, 5,000, 6,000 mm  
Height: max. 2,000 mm  
Manual and automatic operation



## HOLLER DIY Swing Gate

Widths: 2,340, 3,340, 4,340 mm  
Height: max. 2,000 mm  
Manual and automatic operation



## HOLLER DIY Pedestrian Gate

Width: 1,170 mm  
Height: max. 2,000 mm  
Manual operation



## HOLLER DIY Fences

Width: 2,510 mm  
Height: max. 2,515 mm

## Smart Columns

# HOLLER |||||



## Control and intercom columns HST 5

- Aluminium
- 150 x 150 mm
- Height: max. 2,500 mm
- Designed to integrate with other gate and fence solutions made by HOLLER



## Control and intercom columns HST 21

- Aluminium
- 220 x 170 mm
- Height: max. 2,500 mm
- Designed to integrate with other gate and fence solutions made by HOLLER



## Control and intercom columns HST 27

- Aluminium
- 450 x 150 mm
- 450 x 300 mm
- Height: max. 3,500 mm
- Designed to integrate with other gate and fence solutions made by HOLLER




## Parcel box column

- Aluminium
- 450 x 450 mm
- 650 x 450 mm
- One-time opening or code keypad
- Available in different heights



## Letterbox column

- Aluminium
- 450 x 150 mm
- 450 x 300 mm
- Flush mount flap
- Available in different heights



# Quality |

Aluminium, corten steel, glass and stainless steel are only some of the materials that we use to produce our gates and fences. All products of the series HOLLER PRO and HOLLER HOME are provided with a high-quality powder coat finish. Maximum weather resistance, easy care, and scratch-resistant surfaces guarantee beauty and quality for many years.

The profiles, developed specifically for our gates and fences, deliver customised and creative solutions for a wide range of applications. We exclusively use the highest quality materials to manufacture our products. As a result, all products are made with genuine and exceptional craftsmanship, and maximum precision.

## Certification and Awards

Our products meet strict quality standards and comply with the requirements of ISO 9001, EN 1090 and EN 13241-1. All sliding gates, swing gates, folding gates and barriers bear the TÜV (Technical Inspection Association) quality seal. Holler Tore GmbH has developed into a lead company of the Austrian economy.





## Our customers |

We work together with numerous companies and organizations from the public and non-profit sector in more than 30 countries all over the world. Our international sales network allows us to react quickly, efficiently and with high flexibility to the requirements and needs of our customers. We are on hand after project completion to provide comprehensive customer support and service.

Your local partner

Holler Tore GmbH

Dorfstraße 31  
8435 LEITRING  
AUSTRIA

Tel. +43 3452 86031  
Fax +43 3452 75831

[mail@holler-tore.at](mailto:mail@holler-tore.at)  
[www.holler-tore.at](http://www.holler-tore.at)

